**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant: Martin Shiu
Serial No.:   10/003,737
Filed: November 2, 2001
For: SYSTEM FOR CONFIGURATION PROGRAMMING

Examiner: Chameli Das
Art Unit: 2122

Certificate of Mailing Pursuant to 37 C.F.R. §1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on this 9th day of September, 2004.

Brett N. Dorny, Reg. No. 35,860

September 9, 2004
Boston, Massachusetts

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

DECLARATION UNDER 37 CFR §1.131

I, Martin Shiu, hereby declare as follows:

1.   I am in the sole inventor and the applicant of the above identified patent application. I make this declaration in support of the application. All facts are made of my own knowledge.

2.   The root concept of the invention is original from the software engineer project during my graduate school year at University of Massachusetts Boston in 1988. That project involved into creating a configuration programming language to simplify the software development effort for other project teams. The effort to continue simply the software development processes is continue through 1990 to 1995. I conceived of the key aspects of the invention in 1996. Specifically, I originally conceived of a software development system with improved efficiency and adaptability. I realized that all data could be represented and described by a finite set of basic data model types. By creating code for performing functions which can recognize and operate on these basic data model types, the code can automatically adapt to changes in a data model. A computer application can be created by forming a flow of the functional code.

Attached as Exhibit A are a versioned technical white paper initiated as early as 1994 describes many detail associate with this invention. Some of the high-level picture in that documents has been discussed with my colleagues since that time too. They are available for confirming my statement.

3.   On June 10, 1996, I formed a company, Power Object Group, Inc. to create a development system based upon my ideas. For a development system, a large number of functional modules, which I called service objects, were needed. These had to be created in order to show that my ideas would work.

4.   In 2000, I moved the company to a new location and added employees. We then began development of a Java based system. In late 2000, we have a functional system and began using it for software development. We continued to augment, improve and modify the system since that date.

I declare under penalty of perjury that the foregoing is true and correct.

_____   8/30/04
Martin Shiu

Rapid Application Builder (RAB)

vs.

CAP2.0

By: Martin Shiu

Rapid Application Builder (RAB)

By: Martin Shiu

What is RAB

○ Application development toolkit

◉ Class library management

◉ Drag and drop interface

◉ Provide application design guide line

○ Provide application implementation models

◉ Object based data transaction

○ Provide Standard Data Dictionary Interface

What is RAB (Cont.)

- Data mapping manager

- Report manager

- Provide standard client/server models

- Generate/Maintain static application code

What's **not** the foucs of RAB

- Provide complete solution for an application

Key Benefits

- Automate the development of static but time consumming application process

- Standard application architecture guide line

- Models based development

- Fucused development

- Parallel development

- Accumulate re-usable objects

Key Benefits (Cont.)

- Generator/Maintain application code
- Shorten application development time frame
- Simplified maintenance process
- Develop highly portable code
- Maximize usage of third party software

Architecture Guide Line

- Standardize the applications architecture
- Highly Object Oriented driven
- Layered Hierarchy
- Sub-System Management
- Multi-Layers Plug and Play

Layer Hierarchy Architecture

Application Component Business Logic Layer

Application Customized Business Logic Layer

Application Generic Business Logic Layer

Abstract Interface Models Layer

Abstract Device Manager Layer

Device Driver Layer

Device Specific Customized Layer

Sub-System/Device Managers

Database Manager	Process Manager	System Manager	Data Transfer Manager	Display Manager	Configuration Manager	Monitor Manager	Security Manager

Application Component

Oracle	Tuxedo	AIX	FTP	VC++
Sybase	TopEnd	WinNT	RQ	Motif
ODBC	VAPI	Pyramid	Internet	Power Builder

Error Manager	Trace Manager

Memory Object Management

Core Functional Blocks

Application Component

Abstract Device Driver

Device Specific Driver

Mutilple Layers Plug and Play

Implementation Guide Line

- Memory based programing
- Vertical programming
- Container based programming

Memory based programming

Application Components

Configuration Manager

Data Transfer Manager

Report Manager

Data Parser Manager

Distribution Process Manager

System Manager

Display Manager

Database Manager

Memory Objects

Basic process model

Data Paser Manager (Producer)

- Input File Descriptor → Data Parser Engine
- Input File → Data Parser Engine
- Data Parser Engine → Internal Data Descriptor

Internal Data Descriptor

Report Manager (Consumer)

- Output Report Descriptor → Output Report Engine
- Internal Data Descriptor → Output Report Engine
- Output Report Engine → Output File

Sync Distrbution Process Model

Data Paser Manager
(Producer)

Input File Descriptor → Data Parser Engine ← Input File

Data Parser Engine → Internal Data Descriptor → Distribution Process Manager → Object Transaction Sender → Third Party Distribution Process Drivers (Tuxedo, Vapi)

Report Manager
(Consumer)

Output Report Descriptor → Output Report Engine → Output File

Output Report Engine ← Internal Data Descriptor ← Distribution Process Manager ← Object Transaction Receiver

Distribution Process Manager

Async Distribution Process Model

Report Manager
(Consumer)

Output File
Descriptor 1

Output Report
Engine

Output
File 1

Internal
Data
Descriptor

Distribution
Process
Manager

Object
Transaction
Receiver

Data Paser Manager
(Producer)

Input File
Descriptor 1

Data Parser
Engine

Input
File 1

Internal
Data
Descriptor

Distribution
Process
Manager

Object
Transaction
Sender

Distribution Process
Manager

Third Party Distribution Process Drivers
(Tuxedo, Vapi)